

CDC Vantta Canada Western Amber Durum



Description:

CDC Vantta is a semi-dwarf, hollow stem durum, with dark black awns, excellent grain yield potential and very strong straw. CDC Vantta has high yellow grain pigment and superior pasta colour giving it excellent end-use suitability. CDC Vantta also has low cadmium, high falling number and strong gluten strength. CDC Vantta should be a good fit in all durum growing areas of western Canada.

Parentage: D06.76.042/D05.15.089

Strengths:

- 10% higher yield than AC Navigator and 4% higher grain yield than AC[®] Strongfield in Coop registration trials
- Semi-dwarf, 1 cm taller than AC Navigator and 10 cm shorter than AC[®] Strongfield
- Very good lodging tolerance, similar to Brigade
- Very high gluten strength, index of 97%
- High falling # of 510 compared to 388 for AC[®] Strongfield and 462 for AC Navigator
- Rated resistant to leaf rust, stripe rust and bunt

Neutral Traits:

• Rated intermediate resistance to stem rust

Weaknesses:

- Late maturity, +2 days compared to AC Navigator and +4 days compared to AC[®] Strongfield
- Rated moderately susceptible to FHB

Breeder:

Dr. Curtis J. Pozniak Crop Development Centre University of Saskatchewan Saskatoon, SK

PBR 91 Applied for

| | Yield | | Lodging | | Grain | Test | | Gluten | |
|-----------------------------|-----------------------|----------|-----------|--------|---------|---------|-----------|----------|--|
| | (% of AC [®] | Maturity | 1 = erect | Height | Protein | Weight | TKW | Strength | |
| Variety | Strongfield) | (days) | 9 = flat | (cm) | (%) | (kg/hl) | (g/1000k) | Index % | |
| AC [®] Strongfield | 100 | 98.0 | 2.2 | 87 | 14.2 | 81.0 | 44.0 | 76 | |
| AC Navigator | 95 | 99.8 | 2.0 | 76 | 13.5 | 81.6 | 46.5 | 73 | |
| Brigade | 105 | 100.4 | 1.5 | 94 | 13.7 | 80.7 | 44.0 | 90 | |
| AAC Cabri | 102 | 99.4 | 2.6 | 91 | 13.8 | 81.4 | 41.8 | 69 | |
| CDC Vantta | 104 | 102.0 | 1.4 | 77 | 13.4 | 81.7 | 42.5 | 97 | |
| # of sites | 28 | 23 | 7 | 29 | 29 | 29 | 29 | | |

2018-2020 Western Canadian Durum Cooperative Trials - Registration Data

'AC' is an official mark used under license from Agriculture & Agri-Food Canada

| | Years | Yield % AC [®] Strongfield | | | Resistance to: | | | | | | | | | | Stem | Rel. | Seed | Volume | | |
|-----------------------------|--------|--|-------------|----------------|----------------|----|-----------|--------------|--------------|----------------|---------------|------|--------------|-----------------|--------------|----------------|--------------------|----------------|------------------|----------------|
| Variety | Tested | Area 1&2 | Area 3&4 | Irrig ation | Protein | | Sprouting | Stem Rust | Leaf Rust | Stripe Rust | Loose Smut | Bunt | Leaf Spot | FHB | Head Awns | Solid- ness | Maturity (days) | Weight (mg) | Weight (Kg/hl | Height (cm) |
| AC [®] Strongfield | 6 | 100 | 100 | 100 | 14.4 | P | F | R | R | MR | R | MR | I | S | Y | Н | 102 | 43 | 79.7 | 88 |
| AAC Antler | 1 | 109 | 108 | | -0.2 | F | | R | R | R | | R | | MS ⁶ | Y | Н | +1 | -2.0 | +0.8 | +2 |
| AAC Grainland | 5 | 105 | 108 | 104 | -0.3 | F | G | MR | R | R | R | R | MS | MS | Y | S | +1 | -0.5 | -0.6 | +1 |
| AAC Spitfire | 5 | 108 | 110 | 111 | -0.4 | G | F | R | R | R | MS | R | MS | S | Y | Н | 0 | 0.0 | -0.1 | -2 |
| AAC Stronghold | 5 | 101 | 100 | 112 | -0.3 | VG | G | R | R | MR | R | I | Ι | MS | Y | S | +2 | +0.8 | +0.6 | -3 |
| CDC Defy | 4 | 112 | 112 | 113 | -0.9 | G | F | MR | R | | | R | | MS ⁶ | Y | Н | 0 | -3.2 | +1.3 | +4 |
| Transcend | 5 | 102 | 105 | 93 | -0.2 | F | G | R | R | R | S | R | I | MS ⁶ | Y | Н | +1 | -1.1 | +0.1 | +7 |
| CDC Vantta | 2 | 108 | 96 | | -0.8 | G | G | I | R | R | | R | | MS | Y | Н | +3 | -1.1 | +0.9 | -8 |

2023 Varieties of Grain Crops for Saskatchewan - Canada Western Amber Durum

F=Fair; G=Good; VG=Very Good; P=Poor; VP=Very Poor; Disease Ratings: R=Resistant; MR=Moderately Resistant; I=Intermediate; MS=Moderately Susceptible; S=Susceptible Stem Solidness: H = Hollow, SS = semi-solid, S = solid; MS⁶ = these varieties generally express lower Fusarium Head Blight symptoms compared to other MS rated cultivars

2023 Alberta Seed Guide - Canada Western Amber Durum

| | Most | | | Yield as % of AC [®] Strongfield | | Moturity | | | | | Resistance to: | | Disease Toleranc | | ance: |
|--------------------------------|------------------------------|---|------------------|--|----------------------|---|--------------|---------------------------|--------------------------|----------------|----------------|-----------|------------------|----------------|-------|
| Variety | Recent Year of Testing | Overall Station years of testing | Overall Yield | Low <77 bu/ac | High >77 bu/ac | Maturity Rating (days +/- AC [®] Strongfield) | Protein % | Test Weight (lb/bu) | Kernel Weight (mg) | Height (cm) | Lodging | Sprouting | Bunt | Stripe Rust | FHB |
| AC [®] Strongfield (I | bu/ac) | | 68 | 54 | 100 | | | | | | | | | | |
| AC [®] Strongfield | 2022 | 177 | 100 | 100 | 100 | 107 | 14.5 | 62 | 44 | 86 | Р | F | MR | MR | S |
| AAC Grainland | 2020 | 11 | 97 | 97 | XX | +1 | -0.5 | 62 | 43 | 86 | F | G | R | R | MS |
| AAC Spitfire | 2016 | 21 | 98 | 98 | XX | 0 | -0.6 | 61 | 46 | 83 | G | F | R | R | S |
| AAC Stronghold | 2022 | 26 | 104 | 101 | 108 | +1 | -0.4 | 63 | 44 | 84 | VG | G | | MR | MS |
| CDC Defy | 2021 | 18 | 105 | 106 | 102 | 0 | -1.0 | 63 | 42 | 90 | G | F | R | I | MS |
| Transcend | 2022 | 49 | 100 | 101 | 98 | +2 | +0.6 | 62 | 42 | 93 | F | G | R | R | MS |
| CDC Vantta | 2022 | 9 | 102 | ХХ | XX | +4 | -0.7 | 62 | 42 | 76 | VG | G | R | R | MS |

P=Poor; VP=Very Poor; F=Fair; G=Good; VG=Very Good; Disease Ratings: R=Resistant; MR=Moderately Resistant; I=Intermediate; MS=Moderately Susceptible; S=Susceptible